

Publikationsverzeichnis DGPAED / AQUAPE AGS

Stand 28. 5. 2023

Hoyer-Kuhn H, Eckert AJ, Binder G, Bonfig W, Dübbbers A, Riedl S, Wölfle J, Dörr HG, Holl RW
Impact of Newborn Screening on Adult Height in Patients with Congenital Adrenal Hyperplasia (CAH)
In press, The Journal of Clinical Endocrinology & Metabolism 2023 [IF: 6.134]

Hammersen J*, Bettendorf M, Bonfig W, Schönau E, Warncke K, Eckert AJ, Fricke-Otto S, Palm K, Holl RW, Woelfle J
Twenty years of newborn screening for congenital adrenal hyperplasia and congenital primary hypothyroidism – experiences from the DGKED/AQUAPE study group for quality improvement in Germany
medizinische genetik 2022; 34(1): 29–40, <https://doi.org/10.1515/medgen-2022-2114> [IF: 1.724]

Wölfle J, Holl RW
Bestehendes Register nutzen
Leserbrief, Ärzteblatt 118, Heft 27-28, 12. Juli 2021, Seite 485

Hoyer-Kuhn H, Huebner A, Richter-Unruh A, Bettendorf M, Rohrer T, Kapelari K, Riedl S, Mohnike K, Dörr HG, Roehl FW, Fink K, Holl RW, Woelfle J
Hydrocortisone dosing in children with Classic Congenital Adrenal Hyperplasia – Results of the German/Austrian Registry
Endocrine Connection 2021 May 19;10(5):561-569. doi: 10.1530/EC-21-0023. [IF: 3.335]

Riedl S, Röhl FW, Bonfig W, Brämsswig J, Richter-Unruh A, Fricke-Otto S, Bettendorf M, Riepe F, Kriegshäuser G, Schönau E, Even G, Hauffa B, Dörr HG, Holl RW, Mohnike K; AQUAPE CAH Study Group.
Genotype/phenotype correlations in 538 congenital adrenal hyperplasia patients from Germany and Austria: discordances in milder genotypes and in screened versus prescreening patients.
Endocr Connect. 2019 Feb 1;8(2):86-94. doi: 10.1530/EC-18-0281. [IF: 2.592]

Bonfig W, Roehl F, Riedl S, Brämsswig J, Richter-Unruh A, Fricke-Otto S, Hübner A, Bettendorf M, Schönau E, Doerr H, Holl RW, Mohnike K
Sodium chloride supplementation is not routinely performed in the majority of German and Austrian infants with classic salt-wasting congenital adrenal hyperplasia (CAH) and has no effect on linear growth and hydrocortisone or fludrocortisone dose
Hormone Research in Pediatrics 2018;89(1):7-12. doi: 10.1159/000481775 [IF: 1.844]

Bonfig W, Roehl FW, Riedl S, Dörr HG, Bettendorf M, Brämsswig J, Schönau E, Riepe F, Hauffa B, Holl RW*, Mohnike K* and the AQUAPE CAH study group.
Blood pressure in a large cohort of children and adolescents with classic adrenal hyperplasia (CAH) due to 21-hydroxylase deficiency [Short title: BP in CAH children]
Am J Hypertens. 2016 Feb;29(2):266-72 [IF: 3.402]